



REV	DESCRIPTION	DATE
1.01	ADD ORING COLOR RED, SHOW FULL MATERIAL NAME SILICONE RUBBER	2021/09/22
1.10	NEW DRAWING FRAME	2024/03/08



MECHANICAL DATA
 DURABILITY : 500 CYCLES
 TEMPERATURE RANGE : -65°C ~ + 165°C

ELECTRICAL DATA
 FREQUENCY RANGE: DC~6GHz
 IMPEDANCE : 50Ω
 VSWR : 1.5 MAX.
 WORKING VOLTAGE : AC 170V
 WITHSTANDING VOLTAGE : AC 500V
 INSULATION RESISTANCE : 5000 MΩ MIN

09	O RING	SILICONE RUBBER	RED	1
08	INSULATOR B	TEFLON	NONE	1
07	SLEEVE	BRASS	NICKEL	1
06	NUT	BRASS	GOLD	1
05	WASHER	BRASS	GOLD	1
04	CAP	BRASS	GOLD	1
03	CENTER PIN	Be.Cu	GOLD	1
02	INSULATOR A	TEFLON	NONE	1
01	BODY	BRASS	GOLD	1
NO	DESCRIPTION	MATERIAL	FINISH	Q'TY

TITLE		DRAWN BY: Kelly		2024/03/08
SMA(F) ra. bh. w.oring for 1.37 (thread 11.4mm)		CHK'D BY: Una		2024/03/08
DWG NO. C02BD31137073-1		REV.		1.10
CUST. P/N: N/A		DA2401180008		
DWG NO: N/A		Unit: mm		
SHEET 1 of 1		GENERAL TOLERANCES		
		.X ±0.2		
		.XX ±0.2		
		.XXX ±0.2		
		ANGLES N/A		

