



REV	DESCRIPTION	DATE
2.00	CHG 5 W. 3.8	2020/04/06
2.10	CHG 4.4 W. 2.3, WASHER ADD TOLERANCES	2024/02/26
2.20	CHG WASHER MATERIAL BRASS W. STEEL	2025/01/22



MECHANICAL DATA
 DURABILITY : 100 CYCLES
 TEMPERATURE RANGE : -65°C ~ + 165°C

ELECTRICAL DATA
 FREQUENCY RANGE: DC~6GHz
 IMPEDANCE : 50Ω
 VSWR : 1.5 MAX.
 WORKING VOLTAGE : AC 500V
 WITHSTANDING VOLTAGE : AC 1500V
 INSULATION RESISTANCE : 5000 MΩ MIN

08	NUT	BRASS	NICKEL	1	TITLE TNC(F) bh. front mount for RG174/RG316, pin in pin, bh. thread L9.8	
07	WASHER	BRASS	NICKEL	1		
06	FERRULE	BRASS	NICKEL	1		
05	BULLET CONTACT	BRASS	GOLD	1	DWG NO. C18CK3F174005-1	
04	INSULATOR	TEFLON	NONE	1	CUST. P/N: N/A DWG NO: N/A	
03	CENTER PIN	P.BRONZE	GOLD	1		
02	PRESS WASHER	BRASS	NICKEL	1		
01	BODY	BRASS	NICKEL	1		
NO	DESCRIPTION	MATERIAL	FINISH	Q'TY	SHEET 1 of 1	Unit: mm



GENERAL TOLERANCES	DRAWN BY: Oscar	2025/01/22
.X ±0.2	CHK'D BY: Chili	2025/01/22
.XX ±0.2		
.XXX ±0.2		
ANGLES N/A		
	REV.	2.20
	DA2501220006	