


REV	DESCRIPTION	DATE
1.01	ADD X0A05WSA02A-1MT MATERIAL AND FINISH	2012/04/27
1.02	ADD Mounting Hole	2015/07/30
1.10	Corrected full material name silicon rubber	2020/02/24
1.20	NEW DRAWING FRAME	2025/02/04



MECHANICAL DATA
 DURABILITY : 100 CYCLES
 TEMPERATURE RANGE : -65°C ~ + 165°C

ELECTRICAL DATA
 FREQUENCY RANGE: DC~3GHZ
 IMPEDANCE : 50Ω
 VSWR : 1.5 MAX.
 WORKING VOLTAGE : AC 500V
 WITHSTANDING VOLTAGE : AC 1000V
 INSULATION RESISTANCE : 5000 MΩ MIN

TITLE
 RP TNC bh w/oring solder for 0.81~RG178 Cable 5psi(flat 11.90)

NO	DESCRIPTION	MATERIAL	FINISH	Q'TY
05	FERRULE	BRASS	NICKEL	1
04	BODY	BRASS	NICKEL	1
03	GASKET	SILICONE RUBBER	BLACK	1
02	WASHER	STAINLESS STEEL	NICKEL	1
01	NUT	BRASS	NICKEL	1

DWG NO. C26CDWS178003S-1
CUST. P/N: N/A DWG NO: N/A
SHEET 1 of 1 Unit: mm

GENERAL TOLERANCES
 .X ±0.2
 .XX ±0.2
 .XXX ±0.2
 ANGLES N/A

DRAWN BY: Oscar 2025/02/04
 CHK'D BY: Mindy 2025/02/04

REV. 1.20